



Certificate of Analysis (COA)

Report No.: RKEYS250722058

Date: Jul. 29, 2025

Page 1 of 3

Applicant: Hundido

Address: Theodor-Heuss-Str 18 78647 Trossingen Germany

Manufacturer: /

Address: /

The following sample(s) was /were submitted and identified on behalf of the clients as:

Sample Name: Hundido Hip & Joint

Sample Model: Tablets /

Sample Received Date: Jul. 22, 2025

Testing Period: Jul. 22, 2025 to Jul. 28, 2025

Test Requested:

As requested by the applicant, refer to attached page(s) for details.

Approved by:



Tony Gant

Tony Gant/Technical Manager

KEYS Testing Technology Co., Ltd.

Tel: +86-0769-22221088 <http://www.keys-lab.com> E-mail: info@keys-lab.com

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.



Certificate of Analysis (COA)

Report No.: RKEYS250722058

Date: Jul. 29, 2025

Page 2 of 3

PRODUCT INGREDIENTS

Chemical Name	CAS No.	Content/%
Dextrin	9004-53-9	60
Glucose	50-99-7	10
Cyanidin chloride	528-58-5	20
Yeast extract	8013-01-2	10

MICRO TEST

Test	Limit	Results	Testing Method
Total Plate Count	<10 ⁷ cfu/g	Pass	USP<2021>
Yeast and Mold	<10 ⁵ cfu/g	Pass	USP<2021>
Enterobacteriaceae	<10 ⁴ cfu/g	Pass	USP<2021>
Escherichia coli	Negative	Pass	USP<2022>
Salmonella spp.	Negative	Pass	USP<2022>
Staphylococcus aureus	Negative	Pass	USP<2022>

METALS TEST

Test	Limit	Results	Testing Method
Cadmium	<0.5μg/g	Pass	USP<231>
Arsenic	<1.5μg/g	Pass	USP<231>
Lead	<0.5μg/g	Pass	USP<231>
Mercury	<1.5μg/g	Pass	USP<231>


Certificate of Analysis (COA)

Report No.: RKEYS250722058

Date: Jul. 29, 2025

Page 3 of 3

Sample Photo:



*** End of Report ***

